






wybarwienie: dąb mocca

SIENA

pokój dzienny

oświetlenie w standardzie



SI-W1/2 (L/P)
W: 2071 S: 645 G: 440



SI-W2 (L/P)
W: 2071 S: 1000 G: 440



SI-KB (L, P)
W: 1221 S: 1000 G: 440



SI-KB2 (L, P)
W: 1221 S: 1000 G: 440



SI-KB/D2 (L/P)
W: 1221 S: 1600 G: 440



SI-KB/D (L/P)
W: 1221 S: 1600 G: 440



SI-K2 (L/P)
W: 871 S: 1000 G: 440



SI-K3 (L/P)
W: 871 S: 1600 G: 440



SI-RTV (L/P)
W: 571 S: 1247 G: 440



SI-RTV/D (L/P)
W: 571 S: 1600 G: 440



SI-Panel
W: 1050 S: 1600 G: 45



SI-P1 półka
W: 340 S: 1300 G: 216



SI-S1 stół
W: 755 S: 1400/2000 G: 900



SI-S2 stolik
W: 466 S: 800 G: 650



Krzesło I-12
W: 1040/505 S: 475 G: 418

L - witryna lewa - stronę mebla określa
położenie grubej przegrody pionowej
L/P - oznaczenie brył uniwersalnych, które
mogą być w układzie prawym lub lewym.
Jest to zależne od sposobu montażu.



SIENA
pokój dzienny

oświetlenie w standardzie